ISSCO Est. 1957

We are pleased to offer the **OHAUS** range in addition to our large range of microscopy & laboratory equipment.

Please note that the prices listed are suggested Retail Prices. You will be pleasantly surprised by the special prices that we can offer (prices on request)



This catalogue contains the following types:

- See also Analytical & Semi-Micro Balances (0.1mg and 0.01mg)

- Precision Balances (1mg,0.01g,0.1g)

- Educational Balances (lower cost, includes some mechanical types)


- See also Scales for industry includes:

a.Bench scales d.Indicators

b.Counting scales e.Platforms c.Floor scales

VOYAGER® PRO PRECISION BALANCES

Intelligent Performance-No Matter How Difficult The Task



- Advanced software includes Pipette Calibration, Formulation, Statistical QC, Differential Weighing, Density Determination and Statistics
- · AutoCal¹⁴ automatic internal calibration included in all models
- NTEP Certified for all models

	2000 March 100 M	Suggested
hern No.	Description	List (5)
VP213C	216g x 0.001g with Draftshield	2,900.00
VP413C	418g x 0.001g with Draftshield	1,100.00
VP413DC	418g/180g x 6.01g/0.001g with Draftshield	3,850.00
VPS13C	610g x 0.001g with Draftshield	3,300.00
VP812C	616g x 6.01g	2,700.00
VP2102C	2100g x 0.01g	2,800.00
VP4102C	4180g x 0.01g	1.000.00
VP4102DC	4190g/1000g x 0.1g/ 0.81g	2,950.00
VPS102C	8100g x 0.01g	1,150.00
VP4101C	4100g x 8.1g	2,750.00
VP6101C	6100g x 6.1g	2,950.00
VP8101C	\$100g x 0.1g	1,150.00


VOYAGER PRO ACCESSORIES

		Suggested
tien No.	Description	List (\$
SF42	Compact Impact Printer, 42 Column	ab
80506746	Ohaus Collect Software	275.00
SW12W	TAL Software WinWedge	485.00
12101511	Paper for SF42 Printer (5 pack)	37.00
12101512	Ribbon for SF42 Printer	34.00
80500570	R5232 Cuble, SF42 Printer to Voyager Pro	118.00
AS017-00	R5222 Cable, PC 9 Pin to Yoyager Pro	118.00
AS017-82	R5332 Cable, PC 25 Pile to Voyager Pro	110.00
80850845	Density Detarmination Kit for Voyager Pro balances (0.1mg and 1mg)	685.00
80858042	In-Use Cover for Yayager Pro	\$5.00
479004-010	Security Device for Yoyager Pro up to Big, HB45, MB35, Alemánum Scoop, 1 S in x 2 in (3.8 cm x 5.1 cm), weight 4g	210.00
5076-00	Aluminum Scoop, 1.5 in x 2 in (3.8 cm x 5.1 cm), weight 4g	15.00
5877-00	Gold Scoop, 2.25 in x 3 in (5.7 cm x 7.6 cm), weight 19g	15.00
4590-30	Black Scoop, aluminum 4 in a 3.5 in (10.2 cm x 8.3 cm), weight 24g	15.00

EXPLORER® PRO PRECISION BALANCES

The Industry's Most Easy To Use Balance





- + Large, brilliant display for easy reading under all lighting conditions
- Optional AutoCal[®] automatic internal calibration for optimized weighing performance
- · Feature-rich software for a wide variety of applications

		Suggested
Rem No.	Description	List (\$
EP213	Explorer Pro 216g x 0.001g with Draftshield	2,750.00
EP213C	Explorer Pro 210g z 0.001g with AutoCal & Draftsheld	2,502.00
EPHIS	Explorer Pro 410g x 6.001g with Draftshield	2,960.00
EP413C	Explorer Pro 418g a 0.001g with AutoCal & Druftshield	3,058.80
EP613	Explorer Pro 618g x 8.001g with Draftshield	3,050.00
EPEI3C	Explorer Pro 618g a 0.001g with AutoCal & Draftshield	3,300.00
EP413D	Explorer Pro 199410g x 0.00110.01g with Draftshield	2,800.00
EP413DC	Explorer Pro 199410g x 0.80110.01g with AutoCal & Draftshield	3.050.00
EP612	Explorer Pro 610g x 8.81g	2.601.00
EP\$12C	Explorer Pro 618g x 8.81g with AutoCal	2,800.90
EP2102	Explorer Pro 2190g x 0.01g	2,790,90
6P2102C	Explorer Pro 2100g x 0.01g with AutoCal	2,900.00
EP4102	Explorer Pro 4100g x 0.01g	2,693.90
EP4102C	Explorer Pro 4106g x 0.01g with AutoCal	1.000.00
EP9102	Explorer Pro 6100g x 0.01g	1,290.00
EP6162C	Explorer Pro \$100g x 0.01g with AutoCal	1.300.00
EP4182D	Explorer Pro 10004100g x 0.01/0.1g	2,500.00
EP41820C	Explorer Pro 1008/4100 x 0.81/8.1g with AutoCal	2,750.00
EP4101	Explorer Pro 4100g x 0.1g	2.500.00
EP4101C	Explorer Pro 4106g x 0.1g with AutoCal	2,750.00
EPGIBI	Explorer Pro 6106g x 0.1g	2,600.00
P6101C	Explorer Pro 6106g x 0.1g with AutoCal	2,850.00
P0101	Explorer Pro 810lig x 0.1g	2,800.06
EP8101C	Explorer Pro 8108g x 8.1g with AutoCal	3,100.00





EXPLORER® PRO HIGH CAPACITY BALANCES

The Industry's Most Easy To Use Balance

Capacities from 12000g to 32000g, with Readability to 0.1g

- · Applications include Differential Weighing, Formulation
- Density Determination, Statistics, Parts Counting & Animal Weighing

· Optional AutoCal[®] automatic internal calibration for optimized weighing performance Weigh Below Hook

+ Large, brilliant display for easy reading under all lighting conditions

		Suggested
item No.	Description	List (5)
EP12901	Explorer Pro 12006g x 0.1g	4,486.56
EP12001C	Explorer Pro 12000g x 0.1g with AutoCal	4,680.00
EP22901	Explorer Pro 22000g x 0.1g	4,600.00
EP22001C	Explorer Pro 22000g x 0.1g with AutoCal	4,500.00
EP32801	Explorer Pro 32003g x 0.1g	4,800,00
EP32901C	Explorer Pro 32000g s 0.1g with AutoCal	5,100.80

EXPLORER[®] PRO ACCESSORIES

		Suggested
Item No.	Description	List (\$)
\$/42	Compact Impact Printer, 42 Column	n/a
88500746	Ohaus Collect Software	275.00
SW12W	TAL Software WinWedge	495.00
12101511	Paper for SF42 Printer (5 pack)	37.00
12101512	Ribbon for SF4Q Printer	24.00
80508570	R\$232 Cable, SF42 Printer to Explorer Pro	110.00
A3017-02	R5032 Cable, PC 25 Pin to Explorer Pro	110.00
76288-01	Security Device for Explorer Pro balances 12, 22 & 32 kg	62.00
80858042	In-Use Cover for Explorer Pro	\$5.00

ADVENTURER" PRO PRECISION BALANCES

The Most Complete Balance In Its Class

Capacities of 51g to 8100g, with Readability from 0.001g to 0.1g · SmarText* software easily guides users through applications

· QuadraStance ** design for superior stability

· Options include InCalTM Internal calibration, factory installed USB or

second RS2	second RS232, and NTEP Certified Models		
Item No.	Description		
AV51	51g x 8.001g with 3.5 in high Round Draftshield		
AV/213	210g x 8.801g with 5.25 in high Square Draftshield		
AV213C	210g x 8.801g InCal & 5.25" high Square Draftshield		
AV/212	210g x 8.81g		
AV212C	210g x 8.81g with InCal		
AV412	410g x 9.81g		
AV412C	410g x 8.81g with InCal		
AV413	410g x 9.801g		
AWHISC	410e x 0.801e with local		
AV812	810g x 8.81g		
AV812C	BTOp x 0.81g with InCal		
AV2162	2100g x 0.01g		
AV2182C	2106g x 0.01g with InCal		
AV4162	4106g x 0.01g		
AV4182C	4108g x 0.01g with InCal		
AV2101	2105g z 0.1g		
AV2181C	2100g x 0.1g with InCal		
AV4101	4100g x 0,1g		
AV4101C	4100g s 0.1g with InCal		
AVE101	8100a x 6.1p		
AVE101C	8109g x 8.1g with thCel		

ADVENTURER PRO ACCESSORIE

		Suggester
Nem No.	Description	List (1
SF42	Compact Impact Printer, 42 Column	nia
80506746	Ohaus Collect Software	nia 275.00
SW12W	TAL Software WinWedge	
12101511	TAL Software Winninger Paper for SF42 Printer (5 pack)	37.00
2101512	Hibbon for 5F42 Printer	24.00
0506571	RS232 Cable, SF42 Printer to Adventurer Pro	110.00
0500524	RS232 Cable, PC 25 Pin to Adventume Pro	118.60
0500525	R\$232 Cubie, PC 9 Pin to Adventurer Pro	113.00
0856645	RS232 Cable, PC 9 Pm to Advertance Pro Density Determination K3 for Advertance Pro (0, freg & freg) accept AV55	682.00
6288-01	Security Device for Adventurer Pro	62.00
2103980	In-Use Cover for Adventurer Pro (small housing)	82.00 25.00
2103879	In-Use Cover for Adverturer Pro (Jarge housing)	25.04





Suggested List (\$) 1,200.00 1,890.90 2,100.00 1,000.00 1,300.00 1,100.00 1,400.00 1,900.00 2 200.00 1 300.00 1 600.00 2,100.00 2,400.00 2,290.00 2,500.00 1.000.00 1,300.00 1,100.00 1,400.00 1,200.00

1,600.00

ISSCO Ph.(02) 9743 2588 Fax.(02) 9736 2835

PIONEER* PRECISION BALANCES

The Best Balance For Basic Weighing

ISSCO Ph.(02) 9743 2588

Capacities from 150g to 4100g, with Readability from 0.001g to 0.1gFax.(02) 9736 2835

Weighing, Counting and Percentage Weighing Modes

RS232 for data connectivity

	N. WARRANT CO.	Suggested
Rort No.	Description	List (\$)
PA213	210g x 0.001g	1,100.00
PA213C	210g x 0.901g with int cal	1,350.00
PA413	410g x 0.001g	1,300.00
PA413C	410g x 0.001g with int cal	1,550.00
PAS12	810g x 0.01g	1,100.00
PA512C	Stop x 0.91g with int cal	1,350.00
PA2102	2106g x 0.01g	1,290.00
PA2102C	2100g x 0.01g with int cal	1,450.00
PA4102	4106g x 0.91g	1,400.00
PA4102C	4100g x 0.01g with init cal	1,650.00
PA4101	4106g x 0.1g	1,190.00
PARET	4106g x 0.1g with int cal	1.350.00

PIONEER^{IN} ACCESSORIES

		Suggested
tern No.	Description	List (\$
F42	Compact Impact Printer, 42 Column	00
0500746	Ohaus Collect Software	275.00
W12W	TAL Software WinWedge	495.00
2101511	Paper for SF42 Printer (5 pack)	37.00
2101512	Ribbon for SF42 Privier	24.00
0500571	RS232 Cuble, SF42 Printer to Planeer	110.00
0500525	RS212 Cable, PC 9 Pin to Pioneer	110.00
0502524	RS232 Cable, PC 25 Pie to Pioneer	198.00
ADT	Auxiliary Display KE for Pioneer	90.90
0850045	Density Determination Kit for Pioneer balances (1mg)	605.00
10-6853	Security Device for Pioneer	\$2.00
078-00	Aluminum Scoop, 1.5 in x 2 in (3.8 cm x 5.1 cm), weight 4g	62.00 15.00
077-00	Gold Scoop, 2,25 in x 5 in (5.7 cm x 7.6 cm), weight 10g	15.00
590-38	Stack Scoop, aluminum 4 in x 3.5 in (10.2 cm x 8.3 cm), weight 24g	15.00

SCOUT® PRO PORTABLE SCALES

Hands Down-The Industry's Best Portable Balance

Capacities from 200g to 6000g, with Readabilities from 0.01g to 1g - Mechanical and software protection provides superior resistance against shock and overloading

- · Easy snap-in user installable RS232 or USB interface accessory
- Software lock switch and integrated transportation lock



		patternag
Bare No.	Description	List (1)
SPE123	126g x 0.001g with 9cm pan, draft shield and density attachment	645.00
SP702	200g x 0.01g with round pan	515.06
5P462	400g x 0.01g with round pan	715.08
SP602	900g x 0.01g with round pan	815.00
SP401	400p x 0.1p with round pan	306.08
5P501	600p x 0.1p with square pan	395.00
SP2001	2006p x 0.1p with speare pan	915.00
SP4001	4006g x 0.1g with square per	715.00
SP8001	6006g x 0.1g with square part	815.00
529000	6006 x to with source any	395.00

SCOUT PRO ACCESSORIES

	and the second lines of the second	Suggested
ttem No.	Description	List (\$)
\$542	Compact Impact Printer, 42 Column	s/e
SWIZW	TAL Software WirWedge	495.00
12101511	Paper for SP42 Printer (5 pack)	37.00
12101512	Ribbon for SF42 Printer	24.00
T114T376	RS232 interface (cable included) for Scout Pro	116.00
T114T277	USB Interface (cable included) for Scoul Pro	110.00
76385-01	Security Device for Societ Pro	62.06 46.08
71155909	Scout Pro In-Use Cover, Set of 3	
77256-01	Hard Shell Carry Case for Scout Pro	96.00

CS COMPACT SCALES

Upgraded Models!

Capacities from 200g to 5000g with Readabilities from 0.1g to 1g

- · Rugged housing for best overload protection and durability
- · Weighs in g. Ib:oz and oz
- · Superior RF protection for use near cell phones and production areas
- + Includes stainless steel pan and AC adapter



form No.	Description	List (I)	
C5390	200g x 8.1g	242.60	248.60
C\$2900	2006g x tg	242.00	248.00
C55806	\$006g x 1g	340.00	240.90

ACCESSORIES

Bern No.	Description	Suggested
the second se		List (5)
83858075	Bowl for CS Compact Scales (1058 ml)	35.00

HAND-HELD SCALES

Capacities from 120g to 320g

-Readabilities from 0.1g to 0.2g

- Backlit display for easy viewing in low light
- · Protective snap-on cover



-		Suggested
Item No.	Description	List (S)
HH128D	6-60g x 0.1g/80-129g x 0.2g	190.00
HH128	120g x 8.1g	290.00
HH328	320g x 8.1g	290.06

TRIPLE BEAM PRO BALANCE

The New Standard in Mechanical Balances

. Includes attachment weight set and rod & clamp assembly

- Two security features
- · Easy-grip carrying handle
- + Magnetic damping

Burn No. TP2611

Description 3510p x 0.1p wistachment weights, rod & clamp assembly

TRIPLE BEAM AND DIAL-O-GRAM® BALANCES

The Standard for Nearly 75 years

- . Three notched and tiered beams with center read
- · Four weighing platforms to choose from
- · Spring loaded zero adjust compensator
- Magnetic damping





Suggested List (S)

228.80

Supposed and

158.00

Barr.No.	Description	List (5)
730-00	Triple Beam, 618g s 8.1g, Animal Container	490.00
750-51	Triple Boart, 618g x 6.1g, Stainless Steel Plate	200.00
760-00	Triple Boars, 618g s 0.1g, Stainless Steel Plate & Tare	230.06
1618-08	Disi-O-Granel Triple Been Balance, 810g x 8.1g, removable Stainless Steel Pan and Tare	330.06
1650-00	Dial-O-Grand Triple Beam Balance, 610g x 8.1g. Stainless Steel Plate and Tare	330.00
1658-W8	Dial-O-Gramil Triple Beam Balance, 2610g x 0.1g. Stainless Steel Plate, Tare & Attachment Masses	176.00

ATTACHMENT WEIGHT SETS

		paggewed
Rent No.	Description	List (5)
787-89	Netric Attachment Mass Set, 2 - 1900g, 1 - 588g, for Metric Triple Boom Balance	55.00
TRIPLE BE	AM ACCESSORIES	
		Suggested
Item No.	Description	List (\$)
470034-010	Security Device for Triple Beam Pro Kansington Sint Type	218.00
76288-01	Security Device for Triple Beam Pro Loop Type	62.50
703-00	Polypropylene Scoop, 30.5cm x 15.2cm x Tcm looted & 38g counterweight (for Triple	32.06
703-50	Stainless Steel Scoop, 30.5cm a 15.2cm a Tom and counterweight (for Triple Beam	82.00
704-00	Polygropylene Maxi-ScoopTM, 25.4cm das x 8.4cm deep, powring spoul & 42g	35.00
706-00	Vinyl Dust Cover for Triple Bears Balances	21.00
183-00	Rod & Clamp Assembly for Triple Beam and Harvard Trip Balances	43.00

HARVARD TRIP BALANCES



Bern Ma HJ2901

Harvard Junior Balance. 2008g s 0.5g, single beam, plastic plates

sales@issco.com.au Ph.(02) 9743 2588 Fax.(02) 9736 2835 www.issco.com.au

CENT-O-GRAM® AND DIAL-O-GRAM® BALANCES

High Precision and Remarkable Value

. Three-point beam eliminates need for level adjustment

· Quick zaroing with zero adjust knob

106-00

183-00

· Vernier dial convenience on Dial-O-Gram

ISSCO	
Ph.(02) 9743 2588 Fax.(02) 9736 2835	



tern No.	Description	Suggested
		List [5]
311-00	Cent-O-Granel Balance, 311g x 0.01g	251.00
316-00	Dial-O-Granit Balance, 316g a 0.01g	315.90
ACCESSO	RIES	com and
		Suggested
tem No.	Description	List (S)
107-88	Polypropylene Scoop, 30.5cm x 15.2cm x 7cm footed and 125g counterweight (for	12.00
	Harvard Trip and Dial-O-Grame 2000 Balances)	12.90

and the second se	the second s	
		AL ANOFO
	AND PRIM	ALANCES

Vinyi Dust Cover for Harvard Trip Balances

Rod & Clamp Assembly for Triple Beam and Harvard Trip Balances

School Balance Introduces

Precision Mass Measurement

Includes 8 piece mass set

· Made of virtually unbreakable plastic



23.00

43.00

Primer Balance Teaches Mass Measurement Concepts

Item No.	Description	Suggested
88418-08	Primer® Balance, 2006g s 1g	List (3 50.0
BEDIACE	MENT WEIGHT GET EOD GOUDOL DALANGE (ARTH OLAGGA N. O. H.	
REPLACE	MENT WEIGHT SET FOR SCHOOL BALANCE (ASTM CLASS 6, No Certificate)	
	A second se Second second s	Suggeste
REPLACE	MENT WEIGHT SET FOR SCHOOL BALANCE (ASTM CLASS 6, No Certificate) Description \$93 x 19, Weight Sat (8 pcs), Plastic Case, Brass, ASTM	Suggeste List (

Weights are not adjusted to a specific tolerance.

HEAVY DUTY SOLUTION BALANCE

The Industry Standard for Precision and High Capacity Weighing

Oversized plate for larger sized lab containers
Engineered for long life

· Positive load stops

iter. 1118

		Suggested
m No.	Description	List (\$)
19-00	Heavy Duty Solution Balance, 28kg x 1g	- Cont (4)
		1,900.00

FIELD TEST SCALES

Capacities of 16kg or 36lb with Readability of 5g

. Low cost, high precision

· Readings up to 500g

- Slotted weight set stored in base

		Suggested
Hen No.	Description	Lint (\$)
2400-11	Field Test Scale, 16kg x 5g	468.00
2400-12	Field Test Scale, 36b x 0.81b	468.00
And the second second second		

ISSCO

Ph.(02) 9743 2588

Fax.(02) 9736 2835

DIAL TYPE SPRING SCALES

Designed to Deliver Reproducible Results, Time After Time

Perfect for general weighing, force experiments and action-reaction experiments

		Suggested
Item No.	Description	List (S)
8011-MA	258g x 2g, 9 nz x 118 nz	45.00
8811-MN	256g x 2g, & 2.5W x 0.02M	45.00
AM-C108	500g x 5g, 18 oz x 114 oz	45.00
8012-MN	500g x 5g, & 5H x 0.05M	45.00
8013-MN	1080g x 10g, & 10N x 0.2N	55.00
8014-MA	2800g x 10g, 72 az x 1/2 az	40.00
8914-MN	2000g x 20g, & 20W x 0.25M	40.00
8015-00	Demonstration Dial 20 hg x 1/2 hg	108.00
8016-00	Demonstration Dial 20H x 10H	166.80
8018-58	Demonstration Dial SON x 2M	100.00

PULL TYPE SPRING SCALES

Designed to Deliver Reproducible Results Time After Time

